



**盈捷塑业**  
YINGER PLASTIC



**余姚市盈捷塑业有限公司**  
YUYAO YINGER PLASTIC CO.,LTD

地址：余姚市阳明街道丰乐村  
ADD: Fengle Village, Yangming Street, Yuyao City,  
Zhejiang Province, China  
TEL: +86-574-62857221  
FAX: +86-574-62857231  
Http:// www.ysprayer.com  
E-mail: yinger@ysprayer.com  
Alibaba Station :Http://yyyingjie.en.alibaba.com  
Alibaba Chinese Station: Http://yjsprayer.1688.com



# sprayer



## Breif Introduction

余姚市盈捷塑业有限公司是一家专业制造手扣式喷雾器、乳液泵、泡沫泵及各类化妆品包装的公司。

公司能独立开发各类喷雾器模具，拥有先进的生产和自动化设备，为我司生产高质量产品提供强有力的品质保障。

我们一贯坚持“诚信为本，质量为先”的经营理念，赢得了客户的高度信赖，产品远销国内外市场，真诚期盼与您的合作！

Our company is professional sprayer manufacturer specialized in trigger sprayer, fine mist sprayer, lotion pump, foam pump, plastic caps and various cosmetic package products.

We can develop all kinds of sprayer moulds, own advanced automatic assembly equipments, which guarantee to provide more high quality products.

With the sustained business conception of “integrity is based, quality is first”, we gain the high trust from customers, products are sold well in domestic and foreign markets, we sincerely wish to cooperate with you!

# Contents

|   |                           |    |
|---|---------------------------|----|
|   | Trigger Sprayer<br>手扣式喷雾器 | 03 |
|  | Mini Trigger<br>迷你喷枪      | 10 |
|  | Foam Pump<br>泡沫泵          | 12 |
|  | Lotion Pump<br>乳液泵        | 14 |
|  | Fine Mist Sprayer<br>微型喷头 | 18 |
|  | Plastic Cap<br>塑料盖        | 19 |

# Trigger Sprayer Series

手扣式喷雾器

- Material: PP
- Specification: 28/400,28/410,28/415
- Discharge rate: 0.7-0.8CC
- Features: On first use, trigger four times water will be sprayed  
Liquid leakage prevention  
Evenly spray vaporous liquid
- Applications: Kitchen cleanser, Garden spray, Disinfectant, Detergents, Glass cleanser, Biomedicine etc.



Trigger Options



Nozzle Options



Spray/Spray Spray/Stream

Closure Options



28/400 28/410 28/415

Discharge Rate:0.7-0.8cc



© YJ-T01

Specification: Φ 28/400, Φ28/410, Φ28/415



© YJ-T02

Specification: Φ 28/400, Φ28/410, Φ28/415

Discharge Rate:0.7-0.8cc



© YJ-T03

Specification: Φ 28/400, Φ28/410, Φ28/415



© YJ-T04

Specification: Φ 28/400, Φ28/410, Φ28/415

Discharge Rate:0.7-0.8cc



© YJ-T05

Specification: Φ 28/400, Φ28/410, Φ28/415



© YJ-T06

Specification: Φ 28/400, Φ28/410, Φ28/415

Discharge Rate:0.7-0.8cc



© YJ-T07

Specification: Φ 28/400, Φ28/410, Φ28/415



© YJ-T08

Specification: Φ 28/400, Φ28/410, Φ28/415

Discharge Rate:0.7-0.8cc



© YJ-T09

Specification: Φ 28/400, Φ28/410, Φ28/415



© YJ-T10

Specification: Φ 28/400, Φ28/410, Φ28/415

Discharge Rate:0.7-0.8cc



© YJ-T11

Specification: Φ 28/400, Φ28/410, Φ28/415



© YJ-T12

Specification: Φ 28/400, Φ28/410, Φ28/415

# Mini Trigger Series

迷你喷枪

- Material: PP
- Specification: 24/410 · 28/410
- Closure: Smooth, Ribbed, Aluminum
- Applications: Hair salon, Cosmetic package, Disinfectant, Detergents etc.

Discharge Rate: 0.26-0.3cc, 0.55-0.6cc



© **YJ-E01**

Discharge Rate: 0.26--0.3CC  
Specification: Φ24/410, Φ28/410



© **YJ-E02**

Discharge Rate: 0.26--0.3CC  
Specification: Φ24/410, Φ28/410



© **YJ-E03**

Discharge Rate: 0.55--0.6CC  
Specification: Φ24/410, Φ28/410

# Foam Pump Series

泡沫泵系列

- Material: PP
- Specification: 28MM,30MM,40MM,42MM
- Features: Fine and smooth foam  
Liquid leakage prevention  
Push type and easy to use
- Applications: Liquid soap, Body wash, Facial cleanser etc.

Discharge Rate: 0.25-0.8cc



© YJ-F01

Specification: 28MM  
Discharge rate: 0.25CC



© YJ-F02

Specification: 28MM  
Discharge rate: 0.25CC



© YJ-F03

Specification: 30MM  
Discharge rate: 0.4CC



© YJ-F04

Specification: 30MM  
Discharge rate: 0.4CC



© YJ-F05

Specification: 40MM  
Discharge rate: 0.8CC



© YJ-F06

Specification: 40MM  
Discharge rate: 0.8CC



© YJ-F07

Specification: 42MM  
Discharge rate: 0.8CC



© YJ-F08

Specification: 42MM  
Discharge rate: 0.8CC



# Lotion Pump 乳液泵系列 Series

## Lotion Pump( Screw-up)

- Material: PP
- Specification: 24/410 · 28/410
- Discharge rate: 2.0CC
- Features: 2.0CC Rich output  
Liquid leakage prevention  
Classic press design one-hand use
- Applications: Liquid soap, Body wash, Shampoo etc.

## Lotion Pump( Left-right lock)

- Material: PP
- Specification: 24/410 · 28/410
- Discharge rate: 1.8-2.0CC
- Features: Rich output  
Liquid leakage prevention  
Classic press design one-hand use
- Applications: Liquid soap, Body wash, Shampoo etc.




Closure Options



## Lotion Pump( screw-up)



Discharge Rate: 2.0cc



**YJ-L01**

Size: 24/410, 28/410



**YJ-L02**

Size: 24/410, 28/410




**YJ-L03**

Size: 24/410, 28/410

Lotion Pump( screw-up)

Discharge Rate:2.0cc



**YJ-L04**

Size:24/410,28/410



**YJ-L05**

Size:24/410,28/410



**YJ-L06**

Size:24/410,28/410

Lotion Pump( left-right lock)



Discharge Rate:1.8-2.0cc



**YJ-S01**

Size:24/410,28/410



**YJ-S02**

Size:24/410,28/410



**YJ-S03**

Size:24/410,28/410



**YJ-S04**

Size:24/410,28/410

# Fine Mist Sprayer Series

微型喷头系列

- Material: PP
- Specification: 18/410,18/415,20/410,20/415,24/410,24/415,28/410
- Closure: Smooth, Ribbed, Aluminum

Discharge Rate:0.12-0.14cc



**YJ-M01**  
Size:18/410



**YJ-M02**  
Size:18/415



**YJ-M03**  
Size:20/410



**YJ-M04**  
Size:20/415



**YJ-M05**  
Size:24/410



**YJ-M06**  
Size:24/415



**YJ-M07**  
Size:28/410



**YJ-M08**  
Size:20/410 24/410 28/410

## 千秋盖 Disc top cap

© YJ-PC01



20/410



20/415



24/410



24/415



28/410



28/415



翻盖 Flip top cap

© YJ-PC02



18/410

20/410

20/415

24/415

24/410-B



拉拔盖 Push pull cap

© YJ-PC03

Size: 24/410, 28/410



指甲油泵 Nail pump



YJ-N01

Size: 33/410